

The webshop provides you with the entire FIOR & GENTZ product range in a user-friendly and interactive interface – from system joints to orthosis shoes. You will also always find the matching tools, materials and accessories associated with the selected product.





webshop.fior-gentz.de/en/












The fashionable anthracite-coloured CITYDRIVE orthosis shoe is made of high-grade leather and ensures a good performance at every occasion. This elegant shoe is suited for casual as well as business occasions and available in the UK sizes 3.5 to 13 (EU 36-48).

Read more on page 10



The durable CROSSROADS orthosis shoes are available in two different colours. The brown shoe with its multifunctional outsole made of EVA material and the black shoe with its particularly slip-resistant vibram® flat sole. CROSSROADS is available in the UK sizes 3.5 to 13 (EU 36-48).

Additionally, these durable shoes are available in two different widths that can be combined with each other.

Read more on page 12







The sporty URBANSTREET and PARKSTREET orthosis shoes provide the same functionality with a different, appealing colour design.

As both shoes are made from the same last, the shoes' volume is identical as well.

Both are made of a durable, easy-to-clean fabric and impress with a light and flexible sole.


These unisex shoes are suited for young and old and available in the UK sizes 1 to 13 (EU 32-48).

Read more on page 16

Special Features







Comfortable Fit and Stability

All FIOR & GENTZ orthosis shoes provide a flexible volume and the highest wearing comfort with and without orthosis thanks to their integrated elastic textile material and two removable insoles (5mm each).

The heel strap facilitates putting on and taking off the shoe. The higher, anatomically formed upper and the integrated heel cap guarantee high stability.

Durable Material

The fabric as well as the leather shoes feature a high level of workmanship as well as durability and are easy to clean.

Different Shapes for Every Occasion

The different shoe models are suited for every occasion and the different shoe designs and sizes fit every foot.

Shoe Laces

All orthosis shoes are delivered with an additional pair of longer shoe laces which enable one-handed lacing.

→ All orthosis shoes are sold in pairs exclusively.



www.fior-gentz.com

→ products/shoes/orthosis-shoes/one-handed-lacing.html



Shoe Designs

Thanks to the elastic textile material, our orthosis shoes provide sufficient space to comfortably wear the shoe with or without orthosis.

We also provide orthosis shoes that fit on slender feet and thus do not need as much space inside the shoe, namely the orthosis shoe model CROSSROADS which is available in two widths.

The REGULAR CROSSROADS orthosis shoe provides sufficient capacity to comfortably wear the shoe with and without orthosis.

The SLIM CROSSROADS orthosis shoe can be worn when the needed space should be less and ensures a stable footing for slender feet.

Shoe Capacity

In order to compare the available capacity of the respective orthosis shoe to the actually needed space of the feet, measure the following girths with a flexible measuring tape:

a Ball Girth:

Measure on the widest width in the ball area.

b Waist Girth:


Measure over the arch on the narrowest part behind the ball area.

© Instep Girth:

Measure over the arch parallel to the waist girth on height of the sphenoid bone.

d Heel Girth:

Measure the widest part of the heel.





Inner Shoe Length

The inner shoe lengths for each size can be found in the tables on the product pages of the respective orthosis shoe. In order to compare the inner shoe length to the actually needed space of the foot, measure the foot length as followed:


Foot Length: Measure from the middle of the heel area to the middle of the great toe with a standard measurement device.

Shoe Size

You can find the UK and EU shoe sizes of the shoes in the tables on the product pages of the respective orthosis shoes.

We used the following calculation basis to determine the EU shoe sizes:

Paris Point: (foot length + 1.5cm) x 1.5



CITYDRIVE



The anthracite-coloured CITYDRIVE orthosis shoe is an elegant shoe for casual and business occasions. The shoe is made of an high-quality nubuck leather exterior and a soft calf leather interior lining. It is delivered with two removable insoles, one with and one without leather coating.















| CITYDRIVE | CITYDRIVE | | | | | | | |
|------------|------------|----------------|---------------|----------------|-----------------|------------------|----------------|--|
| Shoe UK | Size EU | Article Number | Insole Length | Ball Girth (a) | Waist Girth (b) | Instep Girth (c) | Heel Girth (d) | |
| 3.5 | 36 | OS4110-36 | 235mm | 232mm | 240mm | 245mm | 332mm | |
| 4 | 37 | OS4110-37 | 244mm | 236mm | 244mm | 249mm | 339mm | |
| 5 | 38 | OS4110-38 | 249mm | 240mm | 248mm | 253mm | 346mm | |
| 5.5 | 39 | OS4110-39 | 255mm | 244mm | 252mm | 257mm | 353mm | |
| 6 | 40 | 0S4110-40 | 262mm | 248mm | 256mm | 261mm | 360mm | |
| 7 | 41 | OS4110-41 | 270mm | 252mm | 260mm | 265mm | 367mm | |
| 8 | 42 | 0S4110-42 | 277mm | 256mm | 264mm | 269mm | 374mm | |
| 9 | 43 | OS4110-43 | 281mm | 260mm | 268mm | 273mm | 381mm | |
| 9.5 | 44 | OS4110-44 | 289mm | 264mm | 272mm | 277mm | 388mm | |
| 10.5 | 45 | OS4110-45 | 295mm | 268mm | 276mm | 281mm | 395mm | |
| 11 | 46 | OS4110-46 | 300mm | 272mm | 280mm | 285mm | 402mm | |
| 12 | 47 | OS4110-47 | 307mm | 276mm | 284mm | 289mm | 409mm | |
| 13 | 48 | 0S4110-48 | 314mm | 280mm | 288mm | 295mm | 416mm | |

| Shoe Measurements | Use | |
|-------------------|------|-----------------------|
| Pitch* | 10mm | h-Cast |
| Heel Height** | 25mm | Orthosis Configurator |

^{*} The height of the pitch corresponds to the height of the h-cast plate to be used in the physical examination.
** The heel height is used in the Orthosis Configurator as part of the calculation basis.













The CROSSROADS orthosis shoe is a durable shoe. The shoe is made of an high-quality cow leather exterior and a soft calf leather interior. It is delivered with two removable insoles, one with and one without leather coating. CROSSROADS is available in different widths (REGULAR and SLIM) which can be combined with each other, when necessary.









| REGULAR left and right | | | | | | |
|------------------------|-------------|--|--|--|--|--|
| for norm | al feet wit | h and without ortho | SIS | | | |
| Shoe Size UK EU | | Article Number CROSSROADS, Black | Article Number CROSSROADS, Brown | | | |
| 3,5 | 36 | OS4500-36 | OS4532-36 | | | |
| 4 | 37 | OS4500-37 | OS4532-37 | | | |
| 5 | 38 | OS4500-38 | OS4532-38 | | | |
| 5,5 | 39 | OS4500-39 | OS4532-39 | | | |
| 6 | 40 | 0S4500-40 | OS4532-40 | | | |
| 7 | 41 | OS4500-41 | OS4532-41 | | | |
| 8 | 42 | OS4500-42 | OS4532-42 | | | |
| 9 | 43 | OS4500-43 | OS4532-43 | | | |
| 9,5 | 44 | OS4500-44 | OS4532-44 | | | |
| 10,5 | 45 | OS4500-45 | OS4532-45 | | | |
| 11 | 46 | OS4500-46 | OS4532-46 | | | |
| 12 | 47 | OS4500-47 | OS4532-47 | | | |
| 13 | 48 | OS4500-48 | OS4532-48 | | | |




| | SLIM left and right for slender feet with and without orthosis | | | | | | |
|------------|--|--|--|--|--|--|--|
| Shoe UK | Size EU | Article Number CROSSROADS, Black | Article Number CROSSROADS, Brown | | | | |
| 3,5 | 36 | OS4100-36 | OS4132-36 | | | | |
| 4 | 37 | OS4100-37 | OS4132-37 | | | | |
| 5 | 38 | OS4100-38 | OS4132-38 | | | | |
| 5,5 | 39 | OS4100-39 | OS4132-39 | | | | |
| 6 | 40 | OS4100-40 | OS4132-40 | | | | |
| 7 | 41 | OS4100-41 | OS4132-41 | | | | |
| 8 | 42 | OS4100-42 | OS4132-42 | | | | |
| 9 | 43 | OS4100-43 | OS4132-43 | | | | |
| 9,5 | 44 | OS4100-44 | OS4132-44 | | | | |
| 10,5 | 45 | OS4100-45 | OS4132-45 | | | | |
| 11 | 46 | OS4100-46 | OS4132-46 | | | | |
| 12 | 47 | OS4100-47 | OS4132-47 | | | | |
| 13 | 48 | OS4100-48 | OS4132-48 | | | | |




| REGULAR left/SLIM right for slender feet with orthosis on the left leg | | | | | |
|--|----|--|--|--|--|
| Shoe Size UK EU | | Article Number CROSSROADS, Black | Article Number CROSSROADS, Brown | | |
| 3,5 | 36 | OS9900-36 | OS9932-36 | | |
| 4 | 37 | OS9900-37 | OS9932-37 | | |
| 5 | 38 | OS9900-38 | OS9932-38 | | |
| 5,5 | 39 | OS9900-39 | OS9932-39 | | |
| 6 | 40 | OS9900-40 | OS9932-40 | | |
| 7 | 41 | OS9900-41 | OS9932-41 | | |
| 8 | 42 | OS9900-42 | OS9932-42 | | |
| 9 | 43 | OS9900-43 | OS9932-43 | | |
| 9,5 | 44 | OS9900-44 | OS9932-44 | | |
| 10,5 | 45 | OS9900-45 | OS9932-45 | | |
| 11 | 46 | OS9900-46 | OS9932-46 | | |
| 12 | 47 | OS9900-47 | OS9932-47 | | |
| 13 | 48 | OS9900-48 | OS9932-48 | | |



| SLIM left/REGULAR right for slender feet with orthosis on the right leg | | | | | | |
|---|------------|--|--|--|--|--|
| Shoe UK | Size EU | Article Number CROSSROADS, Black | Article Number CROSSROADS, Brown | | | |
| 3,5 | 36 | 0S8900-36 | OS8932-36 | | | |
| 4 | 37 | OS8900-37 | OS8932-37 | | | |
| 5 | 38 | OS8900-38 | OS8932-38 | | | |
| 5,5 | 39 | OS8900-39 | OS8932-39 | | | |
| 6 | 40 | OS8900-40 | OS8932-40 | | | |
| 7 | 41 | OS8900-41 | OS8932-41 | | | |
| 8 | 42 | OS8900-42 | OS8932-42 | | | |
| 9 | 43 | OS8900-43 | OS8932-43 | | | |
| 9,5 | 44 | OS8900-44 | 0S8932-44 | | | |
| 10,5 | 45 | OS8900-45 | OS8932-45 | | | |
| 11 | 46 | OS8900-46 | OS8932-46 | | | |
| 12 | 47 | OS8900-47 | OS8932-47 | | | |
| 13 | 48 | OS8900-48 | OS8932-48 | | | |



| Shoe Measurements | | CROSSROADS SLIM | | | CROSSROADS REGULAR | | | | | |
|-------------------|------------|----------------------|----------------|-----------------|--------------------|----------------|----------------|-----------------|------------------|----------------|
| Shoe UK | Size EU | Inner Shoe Length | Ball Girth (a) | Waist Girth (b) | Instep Girth (c) | Heel Girth (d) | Ball Girth (a) | Waist Girth (b) | Instep Girth (c) | Heel Girth (d) |
| 3.5 | 36 | 235mm | 224mm | 228mm | 240mm | 328mm | 240mm | 241mm | 250mm | 345mm |
| 4 | 37 | 242mm | 227mm | 233mm | 243mm | 335mm | 240mm | 247mm | 254mm | 346mm |
| 5 | 38 | 249mm | 232mm | 238mm | 246mm | 344mm | 244mm | 251mm | 261mm | 352mm |
| 5.5 | 39 | 254mm | 237mm | 242mm | 250mm | 353mm | 249mm | 255mm | 268mm | 363mm |
| 6 | 40 | 261mm | 242mm | 249mm | 259mm | 360mm | 255mm | 260mm | 273mm | 378mm |
| 7 | 41 | 268mm | 246mm | 252mm | 261mm | 367mm | 260mm | 265mm | 278mm | 381mm |
| 8 | 42 | 275mm | 250mm | 257mm | 269mm | 374mm | 264mm | 270mm | 282mm | 389mm |
| 9 | 43 | 281mm | 253mm | 262mm | 274mm | 380mm | 270mm | 276mm | 289mm | 394mm |
| 9.5 | 44 | 287mm | 257mm | 266mm | 278mm | 388mm | 274mm | 281mm | 294mm | 400mm |
| 10.5 | 45 | 294mm | 261mm | 272mm | 282mm | 399mm | 279mm | 286mm | 299mm | 408mm |
| 11 | 46 | 301mm | 263mm | 276mm | 287mm | 410mm | 284mm | 290mm | 307mm | 415mm |
| 12 | 47 | 307mm | 267mm | 280mm | 292mm | 417mm | 290mm | 295mm | 310mm | 421mm |
| 13 | 48 | 314mm | 273mm | 284mm | 297mm | 421mm | 295mm | 303mm | 313mm | 426mm |



Concerning CROSSROADS, it is possible to attach an outsole elevation with an EVA sheet or to attach a vibram® flat sole (made of rubber mixture) under the shoe for some extra slip resistance.



| Accessory Parts for CROSSROADS, Brown | | | | | |
|---------------------------------------|----------------|---------------------------------|---|-------|--|
| Item | Article Number | Length x Width x Thickness [mm] | Description | Unit | |
| 1 | PL4532-0S | 400 x 200 x 20 | EVA sheet for outsole elevation, orange | sheet | |

| Access | Accessory Parts for CROSSROADS, Brown | | | | | | |
|--------|---------------------------------------|--------------|------------|--------------------------|------|--|--|
| Item | Article Number | Shoe S UK | Size EU | Description | Unit | | |
| 2 | FS9701-3738 | 3.5/4 | 37/38 | vibram® flat sole, honey | pair | | |
| 2 | FS9701-3940 | 5.5/6 | 39/40 | vibram® flat sole, honey | pair | | |
| 2 | FS9701-4142 | 7/8 | 41/42 | vibram® flat sole, honey | pair | | |
| 2 | FS9701-4344 | 9/9.5 | 43/44 | vibram® flat sole, honey | pair | | |
| 2 | FS9701-4546 | 10.5/11 | 45/46 | vibram® flat sole, honey | pair | | |
| 2 | FS9701-4748 | 12/13 | 47/48 | vibram® flat sole, honey | pair | | |



| Access | Accessory Parts for CROSSROADS, Black | | | | | | |
|--------|---------------------------------------|---------------------------------|--|-------|--|--|--|
| Item | Article Number | Length x Width x Thickness [mm] | Description | Unit | | | |
| 3 | PL4500-0S | 400 x 200 x 20 | EVA sheet for outsole elevation, black | sheet | | | |

| Access | Accessory Parts for CROSSROADS, Black | | | | | | |
|--------|---------------------------------------|--------------------|-------|--------------------------|------|--|--|
| Item | Article Number | Shoe Size UK EU | | Description | Unit | | |
| 4 | FS9702-3738 | 3.5/4 | 37/38 | vibram® flat sole, black | pair | | |
| 4 | FS9702-3940 | 5.5/6 | 39/40 | vibram® flat sole, black | pair | | |
| 4 | FS9702-4142 | 7/8 | 41/42 | vibram® flat sole, black | pair | | |
| 4 | FS9702-4344 | 9/9.5 | 43/44 | vibram® flat sole, black | pair | | |
| 4 | FS9702-4546 | 10.5/11 | 45/46 | vibram® flat sole, black | pair | | |
| 4 | FS9702-4748 | 12/13 | 47/48 | vibram® flat sole, black | pair | | |

| Shoe Measur | ements | Use | |
|---------------|--------|-----------------------|--|
| Pitch* | 15mm | h-Cast | |
| Heel Height** | 25mm | Orthosis Configurator | |

^{*} The height of the pitch corresponds to the height of the h-cast plate to be used in the physical examination.

^{**} The heel height is used in the Orthosis Configurator as part of the calculation basis.

URBANSTREET

Style and Function for Everyday Life



PARKSTREET

Sporty on the Go

The URBANSTREET and PARKSTREET orthosis shoes provide adjustable hook and loop fasteners which, in combination with the laces, ensure an enlarged shoe opening. As a result, putting on and taking off the shoes is particularly easy. The durable fabric and the slip-resistant outsole made of EVA material make the shoe extra light. The shoe is delivered with two removable insoles which can be used as volume compensation.


















| URBANSTREET | | | | | | | |
|--------------------|----|----------------|---------------|--|--|--|--|
| Shoe Size UK EU | | Article Number | Insole Length | | | | |
| 0 | 32 | OS4921-32 | 209mm | | | | |
| 1 | 33 | OS4921-33 | 216mm | | | | |
| 2 | 34 | 0S4921-34 | 223mm | | | | |
| 2.5 | 35 | 0S4921-35 | 229mm | | | | |
| 3.5 | 36 | 0S4921-36 | 235mm | | | | |
| 4 | 37 | 0S4921-37 | 242mm | | | | |
| 5 | 38 | OS4921-38 | 249mm | | | | |
| 5.5 | 39 | OS4921-39 | 254mm | | | | |
| 6 | 40 | 0S4921-40 | 261mm | | | | |
| 7 | 41 | 0S4921-41 | 268mm | | | | |
| 8 | 42 | OS4921-42 | 275mm | | | | |
| 9 | 43 | OS4921-43 | 281mm | | | | |
| 9.5 | 44 | OS4921-44 | 287mm | | | | |
| 10.5 | 45 | OS4921-45 | 294mm | | | | |
| 11 | 46 | OS4921-46 | 301mm | | | | |
| 12 | 47 | 0S4921-47 | 307mm | | | | |
| 13 | 48 | OS4921-48 | 314mm | | | | |

| PARKSTREET | | | | | | |
|--------------------|----|----------------|---------------|--|--|--|
| Shoe Size UK EU | | Article Number | Insole Length | | | |
| 0 | 32 | 0S4941-32 | 209mm | | | |
| 1 | 33 | 0S4941-33 | 216mm | | | |
| 2 | 34 | 0S4941-34 | 223mm | | | |
| 2.5 | 35 | 0S4941-35 | 229mm | | | |
| 3.5 | 36 | 0S4941-36 | 235mm | | | |
| 4 | 37 | 0S4941-37 | 242mm | | | |
| 5 | 38 | 0S4941-38 | 249mm | | | |
| 5.5 | 39 | 0S4941-39 | 254mm | | | |
| 6 | 40 | 0S4941-40 | 261mm | | | |
| 7 | 41 | 0S4941-41 | 268mm | | | |
| 8 | 42 | 0S4941-42 | 275mm | | | |
| 9 | 43 | 0S4941-43 | 281mm | | | |
| 9.5 | 44 | 0S4941-44 | 287mm | | | |
| 10.5 | 45 | 0S4941-45 | 294mm | | | |
| 11 | 46 | 0S4941-46 | 301mm | | | |
| 12 | 47 | 0S4941-47 | 307mm | | | |
| 13 | 48 | 0S4941-48 | 314mm | | | |

| Shoe Measurements URBANSTREET AND PARKSTREET | | | | | |
|--|------------|----------------|-----------------|------------------|----------------|
| Shoe UK | Size EU | Ball Girth (a) | Waist Girth (b) | Instep Girth (c) | Heel Girth (d) |
| 0 | 32 | 210mm | 225mm | 230mm | 294mm |
| 1 | 33 | 216mm | 227mm | 235mm | 304mm |
| 2 | 34 | 220mm | 230mm | 250mm | 310mm |
| 2.5 | 35 | 230mm | 240mm | 255mm | 317mm |
| 3.5 | 36 | 232mm | 240mm | 255mm | 327mm |
| 4 | 37 | 235mm | 245mm | 262mm | 334mm |
| 5 | 38 | 243mm | 251mm | 270mm | 341mm |
| 5.5 | 39 | 245mm | 257mm | 273mm | 352mm |
| 6 | 40 | 252mm | 266mm | 282mm | 357mm |
| 7 | 41 | 255mm | 268mm | 285mm | 368mm |
| 8 | 42 | 259mm | 273mm | 289mm | 375mm |
| 9 | 43 | 265mm | 274mm | 291mm | 383mm |
| 9.5 | 44 | 271mm | 282mm | 295mm | 387mm |
| 10.5 | 45 | 276mm | 284mm | 305mm | 394mm |
| 11 | 46 | 280mm | 290mm | 316mm | 409mm |
| 12 | 47 | 286mm | 296mm | 321mm | 411mm |
| 13 | 48 | 292mm | 298mm | 325mm | 415mm |



| Shoe Measurements | 5 | Use | |
|-------------------|------|-----------------------|--|
| Pitch* | Omm | h-Cast | |
| Heel Height** | 14mm | Orthosis Configurator | |

^{*} The height of the pitch corresponds to the height of the h-cast plate to be used in the physical examination.

** The heel height is used in the Orthosis Configurator as part of the calculation basis.



